Fujitsu recommends Windows® 7.

# Data Sheet
## Fujitsu LIFEBOOK T730 Tablet PC

Twist to Touch

The Fujitsu LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

**Pen- or finger-based work without any restrictions**
Either as notebook or Tablet PC, comfortable working in any situation.
- Bi-directional rotatable, tiltable 30.7 cm (12.1-inch) dual digitizer display with multiple touch capability

**Flexible working**
Increase your productivity and adapt the notebook to your particular way of work.
- Modular bay for an optional second hard disk drive, DVD drive, Blu-ray Disc™ combo drive or second battery

**Maximum connectivity**
Stay connected wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.
- Optional embedded 3G/UMTS with GPS, WLAN and Bluetooth

**Highest Security**
Protect your most valuable asset your data.
- Advanced Theft Protection (Intel® Anti Theft & Computrace®), optionally integrated TPM Module and fingerprint sensor

**Ergonomic working**
Automatic adaption of the brightness of your display to your working environment for a longer battery runtime.
- Ambient Light Sensor (ALS)

Fujitsu recommends Windows® 7.

# Components

| | |
|---|---|
| **Processor** | Intel® Core™ i7-640M processor (2.80 GHz, 4 MB) |
| | Intel® Core™ i5-560M processor (2.66 GHz, 3 MB) |
| | Intel® Core™ i5-480M processor (2.66 GHz, 3 MB) * |
| | Intel® Core™ i3-380M processor (2.53 GHz, 3 MB) * |
| | Intel® Core™ i3-370M processor (2.40 GHz, 3 MB) * |
| | *Processor only for retail, SMB, education and government |
| **Operating system** | |
| **Operating system** | Genuine Windows® 7 Professional 64-bit<br>Genuine Windows® 7 Home Premium 64-bit |
| **Operating system compatible** | Genuine Windows Vista® Business 32-bit<br>Genuine Windows® XP Tablet PC Edition 2005 |
| **Operating system notes** | Driver support for Microsoft® Windows® XP<br>Buy Microsoft® Office 2010 to use the full-featured Office software on this PC. |
| **Memory modules** | 2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM |
| | 4 GB (1 module(s) 4 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM |
| **Base unit memory** | LIFEBOOK T730 |
| **Supported capacity RAM (max.)** | 8 GB |
| **Memory slots total** | 2 |
| **Memory slot type** | DIMM |
| **Hard disk drives (internal)** | SSD SATA, 128 GB, 2.5-inch |
| | SSD SATA, 64 GB, 2.5-inch |
| | SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. |
| | SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. |
| | SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. |
| | FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. |
| **Hard disk notes** | ShockSensor for HDD shock protection<br>One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.<br>Accessible capacity may vary, also depending on used software. |
| **WLAN (optional)** | Atheros Minicard b/g/n |
| | Intel® Centrino® 6200 802.11 a/b/g/n |
| **Wireless technologies** | |
| **Antennas** | 2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna |
| **WLAN notes** | Import and usage according to country-specific regulations. |
| **3G/UMTS (optional)** | Sierra Wireless Gobi 2000 (UMTS downlink speed 7.2 Mbit/s, UMTS uplink speed 5.76 Mbit/s) |
| **Bluetooth (optional)** | Bluetooth 2.1 |
| **Display** | 30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 600:1, 200 cd/m |
| | 30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 500:1, 300 cd/m2 |
| **Modular bay options** | 2nd battery |
| | 2nd hard disk drive |
| | Blu-ray Disc™ Combo Drive |
| | DVD Super Multi |
| | Weight saver |
| **Base unit** | LIFEBOOK T730 |

Fujitsu recommends Windows® 7.

| | |
|---|---|
| **General system information** | |
| **Chipset** | Intel® QM57 |
| **Chipset notes** | supports iAMT 6.0, vPro requires Core i5-5xx / i7 processor, Intel W-LAN & TPM module |
| **BIOS features** | BIOS Flash EPROM<br>BIOS based on Phoenix TrustedCore Notebook |
| **Display** | |
| **Display notes** | Optional Wide-View High-Brightness LED WXGA Display (for enhanced outdoor viewing) or standard LED WXGA Display |
| **Brightness - typical** | 300 cd/m (high brightness display), 200 cd/m (standard display) |
| **Contrast - typical** | 500 |
| **Digitizer** | Dual Digitizer for pen input plus capacitive multi-touch screen |
| **Graphics** | |
| **TFT resolution (HDMI)** | up to 1920 x 1200 |
| **TFT resolution (VGA)** | up to 1920 x 1200 |
| **TFT resolution (DVI on Port Replicator)** | up to 1920 x 1200 |
| **Max. resolution external display** | 1920 x 1200 / true color / 85 Hz |
| **Graphics brand name** | Intel® HD Graphics |
| **Graphics features** | DirectX® 10.1 support - for stunning 3D graphics and shading effects |
| **Interfaces** | |
| **Memory card slots** | 1 (SD/SDHC/SDXC/MS/MSPro) |
| **ExpressCard slots** | 1 (54mm supported) |
| **SIM card slot** | 1 (usable only with 3G/UMTS) |
| **USB 2.0 total** | 3 |
| **FireWire (IEEE1394)** | 1 |
| **VGA** | 1 |
| **HDMI** | 1 |
| **Ethernet (RJ-45)** | 1 |
| **DC-in** | 1 |
| **Audio: line-in / microphone** | 1 |
| **Audio: line-out / headphone** | 1 |
| **Internal microphones** | 2 |
| **Docking connector for Port Replicator** | 1 |
| **Kensington Lock support** | 1 |
| **Wired communication** | |
| **LAN** | Built-in 10/100/1000 MBit/s Intel® 82577 LM |
| **Keyboard and pointing devices** | |
| | Spill-resistant keyboard |
| | Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm |
| | Fingerprint sensor<br>Launch keys<br>Status LED<br>Application buttons<br>Tablet Pen<br>Touch-screen<br>Touchpad with two mouse buttons and ergonomic scroll sensor |
| **Multimedia** | |
| **Audio type** | On board |
| **Audio codec** | Realtek ALC269 |
| **Audio features** | Stereo speakers, 2x internal microphones |
| **Camera** | Optional: Built-in webcam, 2.0 megapixel |
| **Power supply** | |
| **AC adapter** | 19 V / 80 W (4.22 A) |

| | |
|---|---|
| **Power supply** | |
| Rated voltage range | 100 V - 240 V (AC Input) |
| Rated frequency range | 50 Hz - 60 Hz |
| 1st battery options | Li-Ion battery 6-cell, 5200 mAh, 56 Wh<br>Li-Ion battery 6-cell, 5800 mAh, 63 Wh |
| 2nd battery (optional) | Li-Ion battery 6-cell, 3800 mAh, 41 Wh |
| Battery features | Dynamic charge supported (rapid charge) |
| Runtime 1st battery | up to 7 h |
| Runtime 1st + 2nd battery | up to 11 h |
| Battery notes | Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. |
| **Power consumption** | |
| Power consumption note | See white paper Energy Consumption |
| Link to Energy White Paper | http://docs.ts.fujitsu.com/dl.aspx?id=1fc40c36-e743-4f37-8bd1-e95b89cad403 |
| **Dimensions / Weight / Environmental** | |
| Dimensions (W x D x H) | 297 x 233 x 38.4 (without foot) |
| Weight | From 1.8 kg |
| Weight notes | Incl. weight saver. Weight may vary depending on actual configuration. |
| Operating ambient temperature | 5 - 35°C |
| Operating relative humidity | 20 - 85 % (running) |
| **Additional Software** | |
| Additional software (preinstalled) | Adobe Acrobat Reader<br>Application Panel<br>Camera<br>Drivers & Utilities DVD (DUDVD)<br>Microsoft® Office Starter 2010 (32-bit)<br>Nero Essentials (burning software)<br>EasyGuide online user documentation<br>Tablet Button Utility<br>Microsoft® Touch Pack for Windows® 7<br>Norton Internet Security (incl. Firewall) 60 days version<br>Display Manager<br>Security Application Panel |
| Additional software (optional) | Drivers & Utilities DVD (DUDVD)<br>UMTS connection manager (optional with UMTS)<br>DVD playback software<br>Recovery DVD (Windows® 7) |
| Additional software (included as a CD/ DVD) | SmartCase Logon+ |
| **Manageability** | |
| Manageability technology | DeskUpdate Driver management<br>Intel® vPro™ technology |
| Manageability software | DeskView 10.x client management including: |
| DeskView components | On/Offline remote client management<br>Detailed system inventory management and reports<br>BIOS Management<br>Remote power management<br>System notifications<br>Security Remote Control<br>DeskView Helpdesk Integration<br>WoL (Wake on LAN) |
| Supported standards | WMI<br>PXE<br>BootP (made4you) |
| Manageability link | http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html |

## Security

| | |
|---|---|
| **System protection** | Kensington Lock support |
| **Audit proof protection** | Computrace® enabled BIOS<br>Norton Internet Security (incl. Firewall) 90 days version<br>Write protect option for the Flash EPROM<br>Control of all USB interfaces<br>Advanced Theft Protection<br>User and supervisor BIOS password<br>Optional: Trusted platform module (TPM 1.2) |
| **Access protection** | Integrated Fingerprint Sensor<br>Hard disk password<br>SmartCase Logon+ incl. fingerprint sensor & security software<br>User and supervisor BIOS password |

## Compliance

| | |
|---|---|
| **Model** | LIFEBOOK T730 |
| **Germany** | TÜV GS |
| **Europe** | CE<br>CB<br>EN 60601-1-2:2007 evaluated for use in environment with medical application (in progress)<br>Nordic Swan |
| **USA/Canada** | cUL<br>FCC Class B |
| **Global** | Microsoft Operating Systems (HCT / HCL entry / WHQL)<br>RoHS (Restriction of hazardous substances)<br>WiFi certified<br>WEEE (Waste electrical and electronic equipment)<br>ENERGY STAR® 5.0<br>EPEAT® Gold (dedicated regions) |
| **Compliance link** | https://sp.ts.fujitsu.com/sites/certificates/ |

## Port Replicator interfaces (optional)

| | Portreplicator\AC Adapter\EU-Cable Kit | Portreplicator\AC Adapter\GB-Cable Kit |
|---|---|---|
| **DC-in** | 1 | 1 |
| **Power on switch** | 1 | 1 |
| **Audio: headphone** | 1 | 1 |
| **USB 2.0 total** | 4 | 4 |
| **VGA** | 1 | 1 |
| **DVI** | 1 | 1 |
| **Ethernet (RJ-45)** | 1 | 1 |
| **Kensington Lock support** | 1 | 1 |

## Warranty

| | |
|---|---|
| **Standard Warranty** | 2 years |
| **Service level** | Collect & Return Service / Bring-in Service (depending on country) |

## Maintenance and Support Services - the perfect extension

| | |
|---|---|
| **Recommended Service** | 3 years, Collect and Return Service, where available: On-site Service |
| **Spare Parts availability** | 5 years |
| **Service Weblink** | htttp://ts.fujitsu.com/Supportservice |

# Recommended Accessories

| | | | |
|---|---|---|---|
| **LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)** | | Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options. | Order Code: S26391-F794-L310 |
| **LIFEBOOK bundle (Port rep\AC Adapter\UK-Cable Kit)** | | Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options. | Order Code: S26391-F794-L410 |
| **2nd battery** | | With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working free from the power socket! | Order Code: S26391-F777-L200 |
| **Car / Truck / Air Adapter** | | People who are often on business or private trips want to power up and recharge their handhelds, tablet PCs and notebooks anywhere and anytime.<br>Fujitsu's goal is to anticipate our customers' wishes and therefore we offer the Car / truck / air adapter for use in cars, lorries, boats, caravans and airplanes. This power adapter fulfills two basic functions: charging and powering of the device through transformation of the on-board voltage (11 - 32 V) and on the other hand protection of the connnected device against interference - for more power on the move. | Order Code: S26391-F2613-L600 |
| **MicroSaver® Master Access DS, MicroSaver® DSMicrosaver® DS Ultra thin** | | Losing your notebook is unthinkable. Protect your computer with incomparable security, the disc lock. The most advanced disc locking technology is featured with carbon tempered steel core cable, external braided steel sheath, and patented T-Bar. This model offers the Master Access solution.The Kensington MicroSaver® DS Keyed Ultra-Thin Notebook Lock is designed for the ultimate defense of even the thinnest notebook. The nearly impenetrable disk style keyed locking mechanism along with an advanced cable design provides greater security. | Order Code: S26361-F1650-L900 |
| **Casual Entry Backpack 15** | | The Casual Entry Backpack 15 is designed to fit up to 15-inch widescreen notebook. For comfort, the backpack features padded shoulder straps and a padded top handle. To stay organized, the backpack feature an interior file storage area which expands and a large zippered compartment separate from the notebook section to store books, accessories, and more. The Casual Entry Backpack 15 features extra-large storage compartments and numerous zippered pockets to store everything you need for school, work or travel. | Order Code: S26391-F1191-L165 |
| **Presenter IV Air** | | Do you often give presentations? Would you like to communicate pro actively with your audience during your presentations? Step up to the plate and make use of your freedom of movement with the Presenter IV Air Whether you're leafing through informative material, adjusting audio files or using the laser pointer to indicate special features, you have everything reliably under control with this presenter.<br>Thanks to the 2D air mouse function you can even do away with the cable mouse and navigate through your files with ease | Order Code: S26381-K440-L100 |

# More information

## Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK T730, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

**Dynamic Infrastructures**
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

**Computing Products**
www.fujitsu.com/global/services/computing/

**Software**
www.fujitsu.com/software/

## More information

Learn more about Fujitsu LIFEBOOK T730, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://ts.fujitsu.com/tabletpc

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT
FUJITSU Technology Solutions
Website: http://ts.fujitsu.com
2011-09-16 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions